

Unified Communications - IP Voice & Video

GRP Series Carrier-Grade IP Phones



GRP2601(P/W)

- 2 SIP accounts, 2 lines
- GRP2601P includes built-in PoE
- GRP2601W includes 2.4 GHz Wi-Fi support
- Swappable faceplates



GRP2602(P/W/G)

- 4 SIP accounts, 2 lines
- GRP2602P (10/100 Mbps) & GRP2602G (10/100/1000 Mbps) includes built-in PoE
- GRP2602W includes built-in dual-band Wi-Fi support
- Swappable faceplates



GRP2603(P)

- 6 SIP accounts, 3 lines
- GRP2603P includes built-in PoE
- Swappable faceplates



GRP2604(P)

- 6 SIP accounts, 3 lines
- GRP2604P includes built-in PoE
- Swappable faceplates



GRP2612(P/W/G)

- 2 SIP accounts, 4 lines
- Built in PoE on GRP2612, GRP2612P, GRP2612W (10/100 Mbps) & GRP2612G (10/100/1000 Mbps)
- GRP2612W includes built-in dual-band Wi-Fi support
- Swappable faceplates



GRP2613

- 3 SIP accounts, 6 lines
- Includes built in 10/100/1000 Mbps Gigabit ethernet ports
- Swappable faceplates



GRP2614

- 4 SIP accounts, 4 lines
- Includes built in 10/100/1000 Mbps Gigabit ethernet ports
- Swappable faceplates



GRP2615

- 5 SIP accounts, 10 lines
- Integrated dual-band Wi-Fi 802.11ac (2.4Ghz & 5Ghz)
- Includes built-in PoE
- Swappable faceplates
- Compatible with GBX20 Extension Module



GRP2616

- 6 SIP accounts, 6 lines
- Integrated dual-band Wi-Fi 802.11ac (2.4Ghz & 5Ghz)
- Includes built-in PoE
- Swappable faceplates



GRP2624

- 4 SIP accounts, 8 lines
- Integrated dual-band Wi-Fi 802.11ac (2.4Ghz & 5Ghz)
- Includes built-in PoE
- Swappable faceplates
- Compatible with GBX20 Extension Module



GRP2634

- 4 SIP accounts, 8 lines
- Integrated dual-band Wi-Fi 802.11ac (2.4Ghz & 5Ghz)
- Includes built-in PoE
- Swappable faceplates



GRP2636

- 6 SIP accounts, 12 lines
- Integrated dual-band Wi-Fi 802.11ac (2.4Ghz & 5Ghz)
- Includes built-in PoE
- Swappable faceplates



GRP2650

- 6 SIP accounts, 14 lines
- Integrated dual-band Wi-Fi 802.11ac (2.4Ghz & 5Ghz)
- Includes built-in PoE
- Swappable faceplates
- Compatible with GBX20 Extension Module



GRP2670

- 6 SIP accounts, 12 lines
- Integrated dual-band Wi-Fi 802.11ac (2.4Ghz & 5Ghz)
- Includes built-in PoE
- Swappable faceplates
- Compatible with GBX20 Extension Module



GXP Series IP Phones



GXP1610(P)/GXP1615

- 1 SIP account, 2 lines
- Dual-switched 10/100 Mbps ports, integrated PoE (GXP1610P/PGXP1615 only)
- 3-way audio conferencing



GXP1620/GXP1625

- 2 SIP accounts, 2 lines
- Dual-switched 10/100 Mbps ports, integrated PoE on GXP1625
- 3-way audio conferencing



GXP1628

- 2 SIP accounts, 2 lines
- Dual-switched 10/100/1000 Mbps ports, integrated PoE
- 3-way audio conferencing



GXP1630

- 3 SIP accounts, 3 lines
- Dual-switched 10/100/1000 Mbps ports, integrated PoE
- 3-way audio conferencing



GXP2130 v2

- 3 SIP accounts, 3 lines
- Dual-switched 10/100/1000 Mbps ports, integrated PoE
- 3-way audio conferencing
- Integrated Bluetooth



GXP2135

- 4 SIP accounts, 8 lines
- Dual-switched 10/100/1000 Mbps ports, integrated PoE
- 4-way audio conferencing
- Integrated Bluetooth



GXP2140

- 4 SIP accounts, 4 lines
- Dual-switched 10/100/1000 Mbps ports, integrated PoE
- 5-way audio conferencing
- Integrated Bluetooth
- Compatible with GXP2200 Extension Module



GXP2160

- 6 SIP accounts, 6 lines
- Dual-switched 10/100/1000 Mbps ports, integrated PoE
- 5-way audio conferencing
- Integrated Bluetooth



GXP2170

- 6 SIP accounts, 12 lines
- Dual-switched 10/100/1000 Mbps ports, integrated PoE
- 5-way audio conferencing
- Integrated Bluetooth
- Compatible with GXP2200 Extension Module

Extension Modules



GXP2200 EXT

- 128x384 backlit LCD display
- 20 per page (each module contains 2 pages, for up to 40 lines per module)
- Connect 4 modules for up to 160 contacts/extensions



GBX20

- 4.3 inch (272x480) color LCD
- 20 per page (each module contains 2 pages, for up to 40 lines per module)
- Connect 4 modules for up to 160 contacts/extensions

Hotel IP Phones



GHP610(W) & GHP611(W)

- 2 SIP accounts, 2 Lines
- Integrated dual-band Wi-Fi (GHP610W & GHP611W)
- Includes 1x 100Mbps network port with PoE (GHP610 & GHP611)
- Swappable faceplates



GHP620(W) & GHP621(W)

- 2 SIP accounts, 2 Lines
- Integrated dual-band Wi-Fi (GHP620W & GHP621W)
- Includes 1x 100Mbps network port with PoE (GHP620 & GHP621)
- Swappable faceplates



GHP630(W) & GHP631(W)

- 2 SIP accounts, 2 lines
- Integrated dual-band Wi-Fi 6 (GHP630W & GHP631W)
- Includes 1x 100Mbps network port with PoE (GHP630 & GHP631)
- 3.5 in. 480x320 color LCD screen



GXV IP Video Phones



GXV3350

- 16 SIP accounts, 16 lines
- Runs on Android 7.0
- Built in PoE & Wi-Fi
- 1 mega-pixel camera and 5-inch touch screen
- 6-way audio, 3-way video conferencing
- Compatible with GBX20



GXV3370

- 16 SIP accounts, 16 lines
- Runs on Android 7.0
- Built in PoE & Wi-Fi
- 1 mega-pixel camera and 7-inch touch screen
- 7-way audio, 3-way video conferencing



GXV3380

- 16 SIP accounts, 16 lines
- Runs on Android 7.0
- Built in PoE & Wi-Fi
- 2 mega-pixel camera and 8-inch touch screen
- 7-way audio, 3-way video conferencing



GXV3450

- 16 SIP accounts, 16 lines
- Runs on Android 11
- Built in PoE & Wi-Fi
- 2 mega-pixel camera and 5-inch touch screen
- 10-way audio, 3-way video conferencing
- Compatible with GBX20



GXV3470

- 16 SIP accounts, 16 lines
- Runs on Android 11
- Built in PoE & Wi-Fi
- 2 mega-pixel camera and 7-inch touch screen
- 10-way audio, 3-way video conferencing



GXV3480

- 16 SIP accounts, 16 lines
- Runs on Android 11
- Built in PoE & Wi-Fi
- 2 mega-pixel camera and 8-inch touch screen
- 12-way audio, 3-way video conferencing

Cordless IP Phones



WP810

- Wi-Fi Cordless IP Phone
- 2 SIP accounts, 2 lines
- Dual-band Wi-Fi and roaming
- Rechargeable battery, 6 hour talk time, 120-hour standby



WP820

- Wi-Fi Cordless IP Phone
- 2 SIP accounts, 2 lines
- Dual-band Wi-Fi and roaming
- Rechargeable battery, 7.5 hour talk time, 150-hour standby



WP822

- Wi-Fi Cordless IP Phone
- 2 SIP accounts, 2 lines
- Dual-band Wi-Fi and roaming
- Rechargeable battery, 8 hour talk time, 200-hour standby



WP825

- Wi-Fi Cordless IP Phone
- 2 SIP accounts, 2 lines
- Dual-band Wi-Fi and roaming
- Rechargeable battery, 8 hour talk time, 200-hour standby
- Waterproof, drop safe 2.5m



DP720/DP722/DP730

- DECT Cordless Handsets
- 10 SIP accounts, 10 lines
- Supports a range of up to 400 meters outdoors and 50 meters indoors



DP750/DP752/DP755

- DECT Base Stations
- 20 SIP accounts, 20 lines (DP755)
- 10 SIP accounts, 10 lines (DP750/DP752)
- Pairs with up to 10 handsets



DP760

- Wideband DECT Repeater
- Up to 2 concurrent HD calls
- Extends an additional range of 300 meters outdoors and 50 meters indoors
- Automatic or manual association to DP750/DP752



DP725

- DECT Cordless Handset
- 20 SIP accounts, 20 lines
- Supports a range of up to 400 meters outdoors and 50 meters indoors
- Up to 56-hour talk time



Unified Communications - UCM6300 Ecosystem



UCM6300 Series IP PBX

- Supports up to 3000 users and 450 concurrent calls
- Automated NAT traversal with UCM RemoteConnect
- 3x Gigabit auto-sensing RJ45 network ports with integrated PoE+
- Based on Asterisk v.16
- Compatible with GDMS



UCM6300A Audio Series IP PBX

- Supports up to 1500 users and 200 concurrent calls
- Automated NAT traversal service with UCM RemoteConnect
- Built-in instant messaging
- Based on Asterisk* v.16
- Compatible with GDMS



UCM RemoteConnect

- Cloud based NAT firewall traversal powered by AWS
- Integrated with GDMS
- Offers secure connections with remote users and SIP endpoints registered to a UCM6300 Series device



Wave

- Communication and collaboration app for desktop, web and mobile
- Provides private and group chat, audio and video meetings/conferences, file sharing, and more
- Supports video resolutions up to 1080p HD
- Compatible with UCM RemoteConnect



Unified Communications - Business Conferencing



GVC3210

- Runs on Android 6.0
- Built-in Bluetooth and integrated Wi-Fi
- Integrated 1x HDMI in, 2x HDMI out, and 2x USB



GVC3220

- Runs on Android 9.0
- Integrated dual-band Wi-Fi 802.11ac
- 1x HDMI In, 2x HDMI Out, 1x Line in/out, 1x Media
- Pairs with GMD1208



GAC2500

- Runs on Android 4.4
- 6 SIP accounts, 6 lines, 7-way voice conferencing
- Integrated Wi-Fi and PoE



GAC2570

- Integrated Wi-Fi 6
- 12-party conferences
- 12 omnidirectional microphones with MMAD
- Pairs with GMD1208



GMD1208

- Extension microphone companion device
- Built-in 8 omni-directional MEMS with 5-meter pickup range
- 1500mA built-in Li-Ion battery
- Bluetooth v2.1+EDR protocols

Unified Communications - ATAs & Gateways



HT812/HT814/HT818

- Supports 2 SIP profiles and 2/4/8 FXS ports
- High performance NAT router
- Strong AES encryption with security certificate per unit



HT813

- Supports 2 SIP profiles through 1 FXS and 1 FXO port
- Dual 100Mbps LAN/WAN ports
- Strong AES encryption with security certificate per unit



HT801/HT802

- Supports 1/2 SIP profiles through 1/2 FXS ports and a single 10/100Mbps port
- Failover SIP server
- TLS and SRTP security encryption technology



HT841/HT881

- Supports 3 SIP profiles through 1 FXS port and 4/8 FXO ports
- High-performance NAT router
- Strong AES encryption with security certificate per unit



GXW4200 Series v2

- 16/24/32 FXS ports, GXW4248 includes 2 50-pin Telco connectors
- 1 Gigabit network port
- 4 SIP server profiles per system



Unified Communications - Facility Management

Facility Access Systems



GDS3702

- HD audio with 1.5m of audio input and 3m of audio output
- Supports SIP calls to IP phones to facilitate communication
- Integrated PoE



GDS3705

- HD audio with 1.5m of audio input and 3m of audio output
- Built-in RFID chip reader
- Supports SIP calls to IP phones to facilitate communication
- Integrated PoE



GDS3710

- Video resolutions up to 1080p
- Built-in RFID chip reader
- Built-in hemispheric camera
- Supports motion detection
- Integrated PoE
- ONVIF Profile S compliant



GDS3712

- Video resolutions up to 1080p
- Built-in hemispheric camera
- Supports motion detection
- Integrated PoE
- ONVIF Profile S compliant

Intercoms & PA



GSC3505

- Speaker with HD acoustic chamber
- SIP paging, multicast paging, callwaiting
- Integrated Wi-Fi & Bluetooth
- One 10/100Mbps network port with PoE/ PoE+



GSC3506

- Speaker with HD acoustic chamber
- SIP paging, multicast paging, callwaiting
- Integrated Wi-Fi & Bluetooth
- One 10/100Mbps network port with PoE/ PoE+
- 1x 2-pin switch-in input port, 1x Alarm-in input port, vol+/- Key, reset, 1x network port, 1x USB port



GSC3510

- Full-duplex speakerphone with HD acoustic chamber, advanced acoustic echo cancellation
- 3 directional mics
- Integrated Wi-Fi and Bluetooth
- One 10/100Mbps network port with PoE/ PoE+
- 2-pin multi-purpose input



GSC3516

- Full-duplex speakerphone with HD acoustic chamber, advanced acoustic echo cancellation
- 3 directional mics, 1 omnidirectional auxiliary microphone
- Integrated Wi-Fi and Bluetooth
- One 10/100Mbps network port with PoE/ PoE+
- 2-pin multi-purpose input



GSC3570

- 7 inch 1024x600 capacitive touch screen
- Dual-band 802.11 ac Wi-Fi
- 4x alarm input ports and 1x alarm output port for customized deployments
- Full duplex 2-way HD audio with advanced echo cancellation
- Supports PoE to provide a network connection to the device

HD IP Cameras



GSC3610

- Smart infrared technology
- Built-in PoE
- Alert notifications via outbound voice/video call & email
- IP67-level weatherproof

